



The City of Grand Mound
615 Sunnyside Street; P.O. Box 206
Grand Mound, IA 52751
1-563-847-2190
gmcity@gmtel.net
www.cityofgrandmound.org

August 24th, 2020

The City of Grand Mound is requesting written bids for the removal & clean up of 38 trees at the Evergreen Cemetery (located on the west end of Sunnyside Street) in Grand Mound, Iowa.

To submit a bid, please list **the cost per tree, on the enclosed spreadsheet.** The Cemetery is open to the public and you are encouraged to visit the site before submitting a bid. Each tree has been painted with a number.

Bids are due by September 8th, 2020. Please e-mail bids to gmcity@gmtel.net or deliver the bid to City Hall located at 615 Sunnyside Street, Grand Mound IA 52751. Bids may be placed in the drop box or given to the City Clerk.

The bid will be reviewed and the contract may be awarded on September 14th, 2020 by the Grand Mound City Council. The contract awarded shall contain the applicable contract provisions disclosed in 2 CFR 200.326 and appendix II to part 200 as this project is being completed using FEMA standards.

Whole trees to be removed must meet one of the following standards:

1. Split trunk
2. Broken canopy of 50% or more
3. Tree leaning at an angle of 30% or more
4. *Whole trees removed must be cut flush with the ground* No Stump Grinding.

As mentioned above, the cost to grind the stumps are not to be included in the cost to remove the whole tree, except for tree #s 5,14,18,24,25, and 27. For these tree #s, please include the cost to grind the stump. Please separate the cost to level the surface for each of these trees once the root ball/stump is removed.

For the remaining trees, please list the cost to grind each stump per tree on the bid sheet. The City Council **may or may not** include the option to have the additional tree stumps ground except for the tree #s listed (5,14,18,24,25, and 27).

The tree debris can be disposed of at the City's Compost Pile located south of Grand Mound on 250th Street. Contractor's will be required to keep a written record of the amount of tree debris

taken to the compost pile and provide the record to the City Clerk. The record is required to detail the size of truck/trailer(s) used, load capacity, and how many loads were hauled with photos.

Please contact Melissa Conner (City Clerk: 1-563-847-2190 gmcity@gmtel.net) or Nick Lange (Public Works Director: 1-563-212-3654 gmcitypw@gmtel.net) with any questions. Thank you!

| Tree Removal Cost | Stump Grinding | Fill & Level Cost | Tree # | Est. Size | Gps Loc. | Gps Loc. | Clean Up | Damage Description |
|-------------------|----------------|-------------------|--------|-----------|----------------|-----------------|--------------------------------|---|
| | | | 1 | 8.00 | 41.82 2322 | -90.65 42595 | Cut Flush & remove | Top gone 2 sections |
| | | | 2 | 8.00 | 41.82 23663 | -90.65 43685 | Trim | Trim broken limbs |
| | | | 3 | 8.00 | 41.82 25716 | -90.65 43544 | Cut Flush with Ground | Top gone |
| | | | 4 | 6.00 | 41.82 26571 | -90.65 42763 | Cut Flush with Ground | Split trunk |
| | | \$ | 5 | 8.00 | 41.82 2742 | -90.65 41982 | Remove Root/Level | Tree's Gone- Uproot to be removed & leveled |
| | | | 6 | 4.00 | 41.82 28555 | -90.65 44758 | Cut Flush/Save? | Split with top from another on it |
| | | | 7 | 8.00 | 41.82 29774 | -90.65 45643 | Cut Flush/Save? | Top Gone |
| | | | 8 | 4.00 | 41.82 25979 | -90.65 4568 | Cut Flush with Ground | Top Gone |
| | | | 9 | 4.00 | 41.82 19658 | -90.65 47078 | Cut Flush/Save | Split V double tree |
| | | | 10 | 6.00 | 41.82 18133 | -90.65 49049 | Remove Debris | Tree already on the ground in the ditch |
| | | | 11 | 6.00 | 41.82 | -90.65 | Trim | Broken limbs |

| | | | | | | | | |
|--|--|----|----|------|----------------|-----------------|----------------------|--|
| | | | | | 19647 | 49485 | | |
| | | | 12 | 4.00 | 41.82 2033 | -90.65 49713 | Remove | Top Gone |
| | | | 13 | 6.00 | 41.82 24245 | -90.65 49991 | Remove | Top's on the ground, cut stump flush |
| | | \$ | 14 | 6.00 | 41.82 24672 | -90.65 49646 | Remove Root/Level | Uprooted *Remove and Fill/Level opening |
| | | | 15 | 4.00 | 41.82 25357 | -90.65 49508 | Trim/Remove | Broken Limbs (Trim only?) |
| | | | 16 | 6.00 | 41.82 25476 | -90.65 50437 | Remove | Top Gone |
| | | | 17 | 6.00 | 41.82 26101 | -90.65 50585 | Remove | 2 sections |
| | | \$ | 18 | 8.00 | 41.82 25951 | -90.65 49971 | Remove & Level | Uprooted *Remove and Fill/Level opening |
| | | | 19 | 6.00 | 41.82 27011 | -90.65 50317 | Remove | 2 sections |
| | | | 20 | 4.00 | 41.82 27165 | -90.65 49693 | Remove | Top Gone |
| | | | 21 | 4.00 | 41.82 27673 | -90.65 50746 | Remove | 2 sections (top on the ground already, trunk standing) |
| | | | 22 | 4.00 | 41.82 27972 | -90.65 49837 | Remove | Top Gone |
| | | | 23 | 8.00 | 41.82 29781 | -90.65 54467 | Remove | 2 sections |
| | | \$ | 24 | 6.00 | 41.82 28937 | -90.65 55406 | Remove & Level | Uprooted *Remove and Fill/Level opening |
| | | \$ | 25 | 6.00 | 41.82 28117 | -90.65 5553 | Remove & Level | Uprooted *Remove and Fill/Level opening |
| | | | 26 | 8.00 | 41.82 2766 | -90.65 52861 | Remove | Top Gone |
| | | \$ | 27 | 8.00 | 41.82 26633 | -90.65 5549 | Remove & Level | Uprooted *Remove and Fill/Level opening |
| | | | 28 | 8.00 | 41.82 26576 | -90.65 5374 | Remove | Top Gone |
| | | | 29 | 8.00 | 41.82 26376 | -90.65 53683 | Remove | Split/Toppled |
| | | | 30 | 8.00 | 41.82 | -90.65 | Remove | Top gone/Limbs Gone |

| | | | | | | | | |
|--|--|--|----|-------|---------------------|-----------------|--------|---------------------|
| | | | | | 26041 | 52372 | | |
| | | | 31 | 6.00 | 41.82 24554 | -90.65 51527 | Remove | 2 sections top gone |
| | | | 32 | 10.00 | 41.82 25007 | -90.65 52979 | Remove | 2 sections split |
| | | | 33 | 6.00 | 41.82 24452 | -90.65 54906 | Remove | broken limbs |
| | | | 34 | 6.00 | 41.82 23383 | -90.65 53743 | Remove | broken limbs |
| | | | 35 | 8.00 | 41.82 20408 7 | -90.65 5374 | Remove | broken limbs |
| | | | 36 | 6.00 | 41.82 20957 | -90.65 52767 | Remove | broken limbs |
| | | | 37 | 10.00 | 41.82 19582 | -90.65 52301 | Remove | Top gone |
| | | | 38 | 4.00 | 41.82 19098 | -90.65 51051 | Remove | Top Gone |